

## APPENDIX G

### ACTIVITY #2 – THE PATH OF THE SUN IN THE SKY


Though several options are available to portray the path of the Sun in the Sky, most will find it easier overall to:

- First, calculate the altitude and azimuth of the Sun at each point of the analemma (Steps 1 through 4, below).
- Second, using the equations for conversion of alt-azimuth coordinates to equatorial coordinates, convert the alt-azimuth coordinates to Declination and Hour Angle (Step 5, below).

**Step 1:** Continue with the coordinate system introduced in Activity #1:

- $P(0,0,0)$  at the opening of the enclosure / tip of the gnomon.
- The x-axis as east / west (positive being eastward).
- The y-axis as north / south (positive being northward).
- The z-axis as up / down (positive being upward).

Note that the analemma is in the x-y-plane at  $z = -h$ .



**Step 2:** Digitize the analemma. This will generally be done by scanning or photographing the analemma. Be sure to allow for the following:

- The location of the point directly below the opening of the enclosure / tip of the gnomon ... this point will be referred to as  $P(0,0,-h)$ . Accurate measurement of distances relative to this point is crucial to the calculations that follow.

- If photographing the analemma, take the image from directly above (i.e., perpendicular to) the analemma using as long a focal length as possible to minimize distortion. Wide-angle lenses should not be used. The “long dimension” of the analemma should be aligned with the width of the camera’s field of view as well as possible.
- Scaling the scan / image must be included, so conversion from locations in the image to measured distances can be made.

**Step 3:** Translate the zero-point on the image from Step 2 (generally the upper left corner) to P(0,0,-h) ... i.e., the point directly below the opening in the enclosure / tip of the gnomon in the coordinate system described in Step 1.

When translating the origin of a coordinate system to a point having the coordinates P(h,k) within that system, then the coordinates of a point P(x,y) will change to:

$$\begin{aligned}x' &= x - h \\y' &= y - k\end{aligned}$$

where: x and y refer to the original (pre-translation) coordinates.  
x' and y' refer to the post-translation coordinates.

Note: This relationship assumes an x-positive to the right / y-positive up orientation. If the image’s coordinate system has different orientation, corrective measures will have to be taken.

**Step 4:** For each point of the analemma, calculate the altitude-azimuth coordinates:

- Calculate new x and y values based on translation of the axes to the point on the floor of the enclosure directly below the opening (i.e., P(0,0,-h) ).
- Provide for calculation new x and y values based on the rotation of the axes around the z-axis. (This is a correction for magnetic deviation, improper alignment of the observing apparatus along true north / south, or if photographing the analemma, not properly aligning the analemma within the camera’s field of view.) Initially, this angle of rotation will be set to 0° (i.e., not rotated).

When rotating a coordinate system an angle  $\alpha$  (alpha) around its origin,

$$\begin{aligned}X &= x * \cos(\alpha) + y * \sin(\alpha) \\Y &= -x * \sin(\alpha) + y * \cos(\alpha)\end{aligned}$$

where: x and y refer to the original (pre-rotation) coordinates.  
X and Y refer to the post-rotation coordinates.

Note:  $\alpha$  is positive in the counter-clockwise direction

- Calculate the angle off the x=0 plane (a.k.a., the y-/z-plane, which contains the Celestial Meridian). Numerically, it is the  $\arctan(x/y)$ ; above the opening, it is the angle,  $\phi$  (phi).

Note that the Sun's Azimuth is:  $180^\circ + \phi$

- Calculate the angle off the x-/y- ("horizontal") plane. Numerically, it is:  $\text{Arctan}(h/\sqrt{x^2+y^2})$

Above the opening, it is the angle,  $\theta$  (theta).

Note that  $\theta$  (theta) is also the Sun's Altitude.

**Step 5:** Calculate the Declination and Hour Angle for the Sun at each reading in the analemma. The equations are presented in *Practical Astronomy With Your Calculator*, by Peter-Duffett Smith §26.

$$\sin(\delta) = \sin(a) \cdot \sin(\phi) + \cos(a) \cdot \cos(\phi) \cdot \cos(A)$$

$$\cos(H) = (\sin(a) - \sin(\phi) \cdot \sin(\delta)) / (\cos(\phi) \cdot \cos(\delta))$$

where, a = altitude of the Sun (from Step 4, above).

A = Azimuth of the Sun (from Step 4, above).

$\delta$  = declination of the Sun.

$\phi$  = Latitude of the Observer (from Activity #1).

H = the Hour-Angle between the Sun and the Meridian.

**Step 6:** Plot the Declination (vertical axis) vs. Hour Angle (horizontal axis)

## Additional Links

Printable Version of this page

Return to Introduction page

Appendix A – Construction of an Enclosure

Appendix B – Overview of Non-Local Noon Observing

Appendix C – Unattended Photography

Appendix D – \* \* \* Reserved for Future Use \* \* \*

Appendix E – \* \* \* Reserved for Future Use \* \* \*

Appendix F – Activity #1 (Tilt of Earth's Axis and Observer's Latitude)

Appendix H – Activity #3 (Equation of Time)

Appendix I – Activity #4 (Eccentricity of Orbit)